L Number	Hits	Search Text	DB	Time stamp
14	534	@ad<20000106 and (transfer\$4 or send\$3 or	USPAT;	2003/12/04
		transmi\$5) adj (data or request or URL or (common adj data)) same stor\$3 adj (request or URL or cookie)	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	13:24
15	0	@ad<20000106 and (transfer\$4 or send\$3 or transmi\$5) adj (data or request or URL or message or (common adj data)) same (stor\$3 and process\$3) adj (request or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/04 13:25
16	0	URL or cookie) and (data adj handle) @ad<20000106 and (transfer\$4 or send\$3 or transmi\$5) adj (data or request or URL or message or (common adj data)) same (stor\$3 and process\$3) adj (request or URL or cookie) and ((generat\$3 or creat\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:26
17	0	or associat\$3) adj handle) @ad<20000106 and (transfer\$4 or send\$3 or transmi\$5) adj (data or request or URL or message or (common adj data)) same (stor\$3 and process\$3) adj (request or URL or cookie) and ((generat\$3 or creat\$3 or associat\$3) near data near handle)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:29
18	2	@ad<20000106 and ((transfer\$4 or send\$3 or transmi\$5) adj- (data or request or URL or message or (common adj data)) same (stor\$3 and process\$3) adj (request or URL or cookie)) and (data near handle)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/04 13:29
19	16	<pre>@ad<20000106 and (transfer\$4 or send\$3 or transmi\$5) adj (data or request or URL or message or (common adj data)) same (stor\$3 and process\$3) adj (request or URL or cookie) and ((generat\$3 or creat\$3</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:32
20	17	or associat\$3) same data same handle) @ad<20000106 and (transfer\$4 or send\$3 or transmi\$5) adj (data or request or URL or message or (common adj data)) same (stor\$3 and process\$3) adj (request or URL or cookie or token) and ((generat\$3 or creat\$3 or associat\$3) same data same (token or handle))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:37
-	898	709/201.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/03 18:36
-	415	709/201.ccls. and handle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/10/03 18:31
-	1	709/201.ccls. and ((create or associate) adj handle)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/10/03
_	1	709/201.ccls. and ((create) adj handle)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/10/03 18:33
-	10	709/201.ccls. and ((data adj handle))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/10/03 19:10

Updated Search

	_	
709/200-203.ccls. and ((data adj handle))	USPAT; US-PGPUB;	2002/10/03 19:23
	DERWENT;	
709/200-203.ccls. and (create adj (handle))	USPĀT; US-PGPUB;	2002/10/04 15:19
709/.ccls. and ((create or generate) adj	DERWENT; IBM_TDB	2002/10/04
(handle)) and store and data	US-PGPUB; EPO; JPO;	16:43
(709/.ccls. or 707/.ccls.) and ((create or generate) adj (handle)) and store and data and (handle adj table)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/10/04 16:47
, , , , , , , , , , , , , , , , , , , ,	IBM_TDB USPAT;	2002/10/04
auj (manute)) and store and data	EPO; JPO; DERWENT;	16:47
associate adj handle	USPAT; US-PGPUB;	2002/10/04 17:59
	DERWENT; IBM_TDB	!
associate adj handle and data	US-PGPUB; EPO; JPO;	2002/10/04 17:59
or send\$3 or stor\$3) adj ((common adj	IBM_TDB USPAT; US-PGPUB;	2003/12/03 19:28
<pre>data) or information or message) and ((creat\$3 or associat\$3) near (data adj handle))</pre>	EPO; JPO; DERWENT; IBM TDB	
or send\$3 or stor\$3) adj ((common adj data) or information or message) and ((creat\$3 or associat\$3 or generat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/03 18:55
<pre>@ad<20000106 and (transfer\$4 or transmi\$5 or send\$3 or stor\$3) near ((common adj data) or information or message) and</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/03 18:55
near (data adj handle)) @ad<20000106 and ((creat\$3 or associat\$3	IBM_TDB USPAT;	2003/12/03
or generates) near (data adj handle))	EPO; JPO; DERWENT;	19:14
<pre>@ad<20000106 and ((creat\$3 or associat\$3 or generat\$3) near (handle)) same ((stor\$3 and (transfer\$4 or send\$3 or transmi\$5)) near data)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/03 19:15
<pre>@ad<20000106 and ((creat\$3 or associat\$3 or generat\$3) near (handle)) same (stor\$3 near data)</pre>	USPĀT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/03 19:27
@ad<20000106 and ((creat\$3 or associat\$3 or generat\$3) adj (handle)) same (stor\$3 or associat\$3) same data	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/03 19:28
	709/200-203.ccls. and (create adj (handle)) 709/.ccls. and ((create or generate) adj (handle)) and store and data (709/.ccls. or 707/.ccls.) and ((create or generate) adj (handle)) and store and data and (handle adj table) (707/.ccls.) and ((create or generate) adj (handle)) and store and data associate adj handle ((creat\$3 or associat\$3) near (data adj handle)) @ad<20000106 and (transfer\$4 or transmi\$5 or send\$3 or stor\$3) adj ((common adj data) or information or message) and ((creat\$3 or associat\$3 or generat\$3) near (data adj handle)) @ad<20000106 and (transfer\$4 or transmi\$5 or send\$3 or stor\$3) near ((common adj data) or information or message) and ((creat\$3 or associat\$3 or generat\$3) near (data adj handle)) @ad<20000106 and ((creat\$3 or associat\$3 or generat\$3) near (data adj handle)) @ad<20000106 and ((creat\$3 or associat\$3 or generat\$3) near (data adj handle)) @ad<20000106 and ((creat\$3 or associat\$3 or generat\$3) near (handle)) same ((stor\$3 and (transfer\$4 or send\$3 or transmi\$5)) near data) @ad<20000106 and ((creat\$3 or associat\$3 or generat\$3) near (handle)) same (stor\$3 near data) @ad<20000106 and ((creat\$3 or associat\$3 or generat\$3) near (handle)) same (stor\$3 near data)	US-PGPUB; EPO; JPO; DERWENT; IDM TDB USPAT; US-PGPUB; EPO; JPO

			_	
-	19	@ad<20000106 and ((creat\$3 or associat\$3	USPAT;	2003/12/03
		or generat\$3) adj (handle)) same ((stor\$3	US-PGPUB;	19:40
		or associat\$3) near data)	EPO; JPO;	
			DERWENT;	}
			IBM TDB	
_	62	@ad<20000106 and ((creat\$3 or associat\$3	USPAT;	2003/12/03
		or generat\$3) near (handle)) same	US-PGPUB;	19:40
		((stor\$3 or associat\$3) near data)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	39	@ad<20000106 and ((creat\$3 or associat\$3	USPAT;	2003/12/03
		or generat\$3) near (handle)) same	US-PGPUB;	20:04
		((stor\$3 or associat\$3) adj data)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	11	@ad<20000106 and (transfer\$4 or send\$3 or	USPAT;	2003/12/04
		transmi\$5) adj (data or (common adj	US-PGPUB;	13:23
		data)) same stor\$3 same (service adj	EPO; JPO;	
		application)	DERWENT;	
			IBM TDB	